login.ic.edu 217.245.3038

STUDENT INFORMATION Student's Name	Data of Pirth.
Student's Name	Date of Birth:
REQUIRED IMMUNIZATIONS:	
(Two doses required at least 28 days apart for students born after 195 Dose 1 given at age 12 months or later #1// 8cgY`&`[]j Yb`Uh`YUgh&, `XUng`UZHYf`ÚfghXcgY````, &`	56 and all health care professional students.)
	
	
<u> </u>	

E. INFLUENZA
Trivalent (IIV3) - Date of last dose://_
Quadrivalent (IIV4) Recombinant (RIV3) '@j Y'UHYbi UHYX']bÛ YbnU'j UWNJbY'f@5 Ⅎ Ł
F. VARICELLA
(Birth in the U.S. before 1980, a history of chicken pox, a positive varicella antibody, or two doses of vaccine meets the requirement.)
History of disease: Yes No or Birth in U.S. before 1980: Yes No
2. Varicella antibody:// Result: Reactive Non-reactive
3. Immunization: Dose #1//
8cgY`, &'[]j Yb`Uh`YUgh%&'k YY_g`UZHYf`ÚfghXcgY`U[Yg`%] %&'nYUfg`UbX`Uh`YUgh('k YY_g`UZHYf`
ÚfghXcgY`]ZU[Y'% 'nYUfg'cf'c`XYf''/
G. HUMAN PAPILLOMAVIRUS VACCINE (HPV2/HPV4/HPV9)

K. MENINGOCOCCAL SEROUGROUP B

vacci	ne at different anatomic	site. Must com	plete series with the same	vaccine.)	
1. M	enB-RC (Bexsero)	routine	outbreak -related		
a.	Dose #1/				
b.	Dose #2//				
OR					
	nB-FHbp (Trumenba)	routine	outbreak -related		
	Dose #1/				
b.	Dose #2//				
L. CO	VID-19 (SARS-CoV-2)				
					
			———		

(Two or three dose series; may be given to any college student or for outbreak control; may be given with quadrivalent meningococcal